



Sunsynk Klik



DATASHEET

SSKLIKACC01

www.sunsynk.com
sales@sunsynk.com
customerservices@sunsynk.com

v.1 (11/06/25)

 **PLEASE RETAIN FOR
FUTURE REFERENCE**

Model	SSKLIKACC01
Power Supply	
Power Supply Voltage	DC 12V
Power Supply Current	DC 10mA
Connection Type	Direct Current
General Data	
Operating Frequency	64MHz
Operation Voltage	DC 12V
Operation Power	100mW Max.
Communication Power	CAN
Transfer Rate	500K bps, 250K bps
IP Rating	IP65
Operating Temperature	-40°C - +85°C



Contact Us

Call +44 151 832 4300 **Email** sales@sunsynk.com **Website** www.sunsynk.com

Address

- HK** Room 702-704, 7/F Texwood Plaza, 6 How Ming Street, Kwun Tong, Kowloon, Hong Kong
- UK** Sunsynk UK Ltd, 17 Turnstone Business Park, Mulberry Avenue, Widnes, Cheshire, WA8 0WN
- SA** Unit 2, 3 & 4, 80 Highview Blvd, Ferndale, Randburg, 2160, South Africa
- NL** Sunsynk NL BV, Henri Wijnmalenweg 8, 5657 EP Eindhoven, Netherlands
- AU** Level 1, 982-988 Wellington Street, West Perth WA 6005, Australia
- ES** Tafetana, 32 P.I. Las Andoriñas 38639 Las Chafiras Santa Cruz de Tenerife
- US** 100 S. Ashley Drive, Suite 600, Tampa, Florida, 33602, United States of America